



**HVAC Motor Doctor®**  
a distribution HVAC newsletter

October 2014

## Copper vs. Aluminum

The great copper windings versus aluminum windings debate goes on. It's a topic that I first wrote about in 1988. It remains a topic of discussion today as engineers in a variety of industries question whether the quality and performance of aluminum windings can possibly compare with copper.

What's interesting to me is one source of the debate. Some of us remember the 1960s, when aluminum house wiring was the subject of much attention because of the apparent fire hazards it created. It turned out that the cause of the house fires was not the wire itself, but rather connection problems. The junctions would become so hot that the heat would transfer to the wire itself, eventually deteriorating the wire insulation.

Consequently, all forms of aluminum wire received a bad rap. This is unjustified: aluminum can be a perfectly good material for motor windings in many applications. Aluminum is a good conductor and, when applied properly, performs quite well. There are, however, two factors to keep in mind.

First, aluminum's conductivity is lower than copper. To compensate, aluminum magnet wire must have larger cross-sections than the equivalent copper wire to offer the same conductance. This means windings wound with aluminum wire will likely have greater volume compared with an equivalent copper wire motor.

The second consideration is properly connecting the ends of the aluminum magnet wire. The reason for this goes back to your high school chemistry course. You may remember that aluminum oxidizes much faster than other metals—in fact, if exposed to air, powdered aluminum will completely oxidize in a few days, forming a fine white powder. But, when exposed to air, fabricated aluminum (sheets, wire, etc.) tends to form a hard insulating oxide layer that stops the oxidizing process.

To make a proper connection that ensures conductivity, the oxide layer of the aluminum magnet wire must be completely pierced and yet pierced in such a way to prevent air from coming in any further contact with the aluminum. Motor manufacturers have developed high-pressure, piercing crimp connectors to do the job. These improved connection methods have helped make motors with aluminum windings every bit as reliable as motors with copper windings.

It must be pointed out that motor efficiency is a much trickier issue in the great copper versus aluminum debate. It is possible to match the power performance of a motor wound with aluminum to a motor wound with copper wire. But since aluminum requires more turns and/or a larger diameter wire, this may not always be economically feasible in some applications. In situations where efficiency and volume are not issues (such as where the motor only has to work occasionally or for very short periods of time), aluminum magnet wires make an acceptable motor.

The bottom line is that, in terms of motor quality, reliability, and life span, aluminum windings can be every bit as good as copper-wound motors. Comparisons are fair as long as you keep efficiency issues apart when looking at copper versus aluminum.

**How would you rate the value of this article?**

**lowest** [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) **highest**  
Sorry, voting is closed.

---

**Upcoming ECM Training!**

Register for two day Motor Mastery training classes in [Dallas, TX](#) and [Atlanta, GA](#) this December. Choose to attend either one or two days for a complete ECM and induction motor course. Contractors, distributor/OEM reps and instructors all will benefit!

Both classes are NATE recognized. All NATE certified technicians will receive a 1 hour credit for each class hour toward recertification in all of the forced air disciplines they are currently certified in. For a full class description and registration, please visit [theDealerToolbox.com](#).

**Free Webinar Training**

The power of online training allows you to gain the knowledge you need – installation, service, maintenance and more – in the most convenient way possible, right on your computer. Take a look at our FREE webinars on *December 16th*, hosted by Regal Training Manager, Christopher Mohalley. See which class will work best with your schedule and meet your HVAC needs!

[Click here for Webinar Descriptions!](#)

Register today for any of our HVAC webinars by visiting, [theDealerToolbox.com](#).

---

**MasterFit Pro - 825 RPM!**

The MasterFit Pro 825 RPM blower motor is now part of the popular [MasterFit Pro](#) line with an all purpose capacitor in every box! The catalog number for the [MasterFit Pro 825 RPM](#) is **FD6002A**.

**Features:**

- 1/3 HP, 4 speed, 825 RPM (8 pole) blower motor

commonly used in Rheem applications

- Class B insulation
- Mounts by belly band, thru bolts or shell holes
- Rheem mounting holes in shell
- All purpose capacitor included in every box



For information, pricing, or to place an order, contact your Regal Sales Professional or Customer Service today at (800) 672-6495 or visit [www.hvac-motors.com](http://www.hvac-motors.com)

*Copyright © 2014 Regal Beloit America, Inc., All rights reserved.*  
[unsubscribe from this list](#) [update subscription preferences](#)

**REGAL**

MailChimp.