Fieldpiece[®]

RUGGED, ACCURATE & WIRELESS VACUUM GAUGE

Designed for the Field

This tough, new wireless vacuum gauge, MG44 is engineered to give you the reliable readings you need - and the ease of use you want.

Wireless Vacuum Gauge, MG44

- Confidently monitor vacuum with a reliable, leak-proof seal
- Quickly install due to new cylindrical shape and no-slip grip
- Easy-to-read backlit LCD with graphical representation of the vacuum progress even in low light or at odd angles.

Fieldpices vacuum cause maaa

- Measure vacuum from up to 1000' away
- Connect vacuum gauge at the system for a true representation of the microns at the system

Fieldpiece

Three ways to use



Stand Alone

The new cylindrical design with reversible coupler fits into tight spaces while still being easy to read. With the large, backlit LCD screen you can see the information from a wide angle and in high and low lights. Rugged, sealed case is weather resistant and stands up to tough conditions.



Job Link[®] System App

This tough vacuum gauge communicates wirelessly with your mobile device to keep you up-todate on progress from 1000' away so you can move onto another task or out of the way of the customer's business or home.

BLE 4.0 with IOS 7.0 or Android 5.0



SMAN Manifold Screen

Monitor vacuum progress by using a separate vacuum gauge at the system port during any standard evacuation for better accuracy even with the SMAN digital manifold.

Models SM380V/SM480V with latest firmware installed.

Rate Meter

• The graphical representation of the measurement's real-time change

 The scale is dynamic (i.e. relative to the measurement) making changes easy

per minute.

to see.

Decreasing

Stable

Increasing

Three ways to view



– Vacuum Level – Rate of change

- The running average of the measurement's change per minute.
- A smaller rate of change indicates that the vacuum in the system is beginning to stabilize.



- The graphical representation of the measurement.
- The scale is static and nonlinear for increased resolution at deeper vacuums.

www.fieldpiece.com

© Fieldpiece Instruments Inc. 2021, v08

• Full bars indicates atmospheric pressure.

MG44

Measurement Range	50 to 25,000 microns (6 to 3333 Pascals)
Maximum Pressure	870 PSI
Operating Temperature	14°F to 122°F (-10°C to 50°C)
Bar Graph Range	Ultimate vacuum to atmospheric pressure
Vacuum Accuracy	5% of reading (+/- 5 microns)
Wireless Range	1000 feet (305 meters) line of sight. Obstructions affect distance.
Battery Life	50 hours, 2 x AA (included)
Water Resistance	IP54



Fieldpiece Instruments Inc. 1636 West Collins Ave Orange, CA 92867