




PRODUCT MARKETING NEWS



C-NP-PC-2985

Date: August 8, 2025

To: Daikin, Goodman and Amana® brand Internal, Sales and Distribution

From: Roberto Herrera, Senior Product Manager – Split Systems

Subject: **New D24V Gateway Now Compatible for Dual Fuel Applications**

We are pleased to announce the new *D24V Gateway* accessory, now supporting both air conditioners and heat pumps across our full line of side discharge units – including Daikin, Goodman, and Amana® brand systems.

Note that the new *D24V Gateway* is not compatible with air handlers for side discharge heat pump system applications – only heat pumps with furnaces and communicating evaporator coils for dual fuel applications.



Features/Benefits

The new *D24V Gateway* includes the same features and benefits as the current *D24V Gateway* - please refer to [PMN C-NP-PC-2933 New R-32 Compliant D24V Gateway for Side Discharge AC Models](#) for more information.

Compatible with both R-410A refrigerant air conditioners and R-32 refrigerant air conditioners and heat pumps – please refer to Compatibility section below. When the outdoor condensing unit must be replaced but the indoor furnace does not, adding the new *D24V Gateway* provides compatibility when matching existing furnaces with a new Daikin, Goodman or Amana brand side discharge outdoor condensing units and new communicating evaporator coils.

Compatibility

The new *D24V Gateway* allows seamless integration with any non-communicating gas furnace, offering installation flexibility with side discharge inverter air conditioner or heat pump outdoor units and compatible communicating evaporator coils. It also supports communicating gas furnaces when wired in legacy mode, ensuring broad applicability across system configurations. When paired with the appropriate outdoor unit and evaporator coil, it can connect to any brand of gas furnace.

(Continued On Next Page)

Note: This Sales Bulletin constitutes "Confidential Information" as defined in, and is subject to the terms of, your Distributor Sales Agreement.


DAIKIN COMFORT TECHNOLOGIES NORTH AMERICA, INC.

19001 Kermier Road • Waller, TX 77484 • (713) 861-2500 • www.daikincomfort.com

Amana® is a registered trademark of Maytag Corporation or its related companies and is used under license. All rights reserved.



PRODUCT MARKETING NEWS



It is also backwards compatible with side discharge air conditioner models using R-410A refrigerant, providing versatility across system types. See the tables below for compatibility.

Air Conditioner Compatibility			D24V Gateway Models		
Refrigerant	Tons	Series	Obsolete DTA119A71	Current DTA119A72	New DTA119A73
R-410A	All	DX17VS (Excluding Southwest Models)	No	No	No
R-410A	All	DX6VS, ASXS6, GSXS6	Yes	Yes	Yes
R-32	All	DC6VS, AXV6S, GXV6S (Excluding Southwest Models)	No	Yes	Yes
R-32	All	DC9VS, AXV9S, GXV9S	No	No	No

Heat Pump Compatibility for Dual Fuel Applications			D24V Gateway Models		
Refrigerant	Tons	Series	Obsolete DTA119A71	Current DTA119A72	New DTA119A73
R-410A	All	DZ17VS	No	No	No
R-410A	All	DZ6VS, ASZS6, GSZS6	No	No	No
R-32	All	DH6VS, DH7VS, DH9VS AZV6S, AZV7S, AZV9S GZV6S, GZV7S, GZV9S	No	No	Yes

The new *D24V Gateway* is designed to work with the new R-32 compatible vertical and horizontal coils (CAPEA*3 and CHPEA*3), which feature electronic expansion valves (EEV) and 7mm evaporator coil tubing for optimized performance.

It supports all thermostats required for side discharge systems, including the Daikin *ONE* family, Amana brand Smart Thermostat, and Goodman GTST Connected Thermostat.

Furnace Integration Kit

For dual fuel applications, when matching a current non-communicating furnace (existing or new installation) with a new R-32 outdoor heat pump and indoor coil, a Furnace Integration Kit (Part# 0230K00044) must be installed as part of the leak detection system. Reference the installation and operation manuals for details.

Warranty

The new *D24V Gateway* comes with a 5-Year Limited Warranty. Limitations and exclusions apply. Complete warranty details are available from your local dealer or at www.daikincomfort.com.

(Continued On Next Page)

Note: This Sales Bulletin constitutes "Confidential Information" as defined in, and is subject to the terms of, your Distributor Sales Agreement.

DAIKIN COMFORT TECHNOLOGIES NORTH AMERICA, INC.


19001 Kermier Road • Waller, TX 77484 • (713) 861-2500 • www.daikincomfort.com

Amana® is a registered trademark of Maytag Corporation or its related companies and is used under license. All rights reserved.



Air Conditioning & Heating

PRODUCT MARKETING NEWS



Phase In/Out

The current and new *D24V Gateway* model numbers are shown in the table below. The new *D24V Gateway* “Sales Order Availability” and “First Shipment” dates are provided in the “Key Release Dates and Information” table below. Existing inventory of the current *D24V Gateway* will be shipped to depletion for air conditioner only side discharge systems and orders will be automatically substituted with the new *D24V Gateway* as inventory is depleted. Please contact your Customer Service Representative with any questions.

Description	Current Model AC Only R-32 or R-410A	New Model AC or Dual Fuel HP R-32 or AC Only R-410A
<i>D24V Gateway</i>	DTA119A7 2	DTA119A7 3

Note: This Sales Bulletin constitutes “Confidential Information” as defined in, and is subject to the terms of, your Distributor Sales Agreement.

DAIKIN COMFORT TECHNOLOGIES NORTH AMERICA, INC.

19001 Kermier Road • Waller, TX 77484 • (713) 861-2500 • www.daikincomfort.com

Amana® is a registered trademark of Maytag Corporation or its related companies and is used under license. All rights reserved.